

FIG. 1A




FIG. 1B

CONSTRUCTIVE ELEMENTS OF FIG. 1	ELEMENTS CORRESPONDING TO FIRST EMBODIMENT	ELEMENTS CORRESPONDING TO SECOND EMBODIMENT
DISPLAY UNIT	DISPLAY 10	DISPLAY 2111
SCREEN POSITION DESIGNATING UNIT	PRESSURE SENSITIVE TOUCH PANEL 12	MOUSE 2150, TOUCH PANEL 2107
VIDEO/GRAFICS SYNTHESISING UNIT	BLEND CIRCUIT IN MAN/MACHINE SERVER	BLEND CIRCUIT 2207 IN WORK STATION 2103
VIDEO OUTPUT UNIT	CAMERA 60	CAMERA 2110, VIDEO/AUDIO RECORDING UNIT 2108
OBJECT IDENTIFYING/PROCESS EXECUTING UNIT	CPU 3000 FIG. 18 IN MAM/MACHINE SERVER	CPU 2201, MAIN MEMORY 2202 IN WORK STATION 2103, FIG. 50-54
OBJECT INFORMATION STORAGE UNIT	DISK 320 IN MAM/MACHINE SERVER 20, MAIN MEMORY 310, FIG. 23-25	DATABASE 2104, MAIN MEMORY 2202, FIG. 60

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7A




FIG. 7B




FIG. 8A

FIG. 8B




FIG. 9




FIG. 10




FIG. II A




FIG. 11B




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18






FIG. 19A



CAMERA PARAMETER 1

FIG. 19B



REGION FRAME 1

FIG. 20A




FIG. 20B






FIG. 21A



CAMERA PARAMETER 3

FIG. 21B



REGION FRAME 3

FIG. 22




FIG. 23




FIG. 25




FIG. 24




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 33




FIG. 34




FIG. 35A




FIG. 35B




FIG. 40




FIG. 36A




FIG. 36B




FIG. 36C




FIG. 36D




FIG. 36E




FIG. 36F

Diagram illustrating a table of data pairs. The table has two columns: 'TIME INSTANT a' (2850) and 'TIME INSTANT b' (2857). The rows are labeled 2851 through 2856. The data pairs are: (2851) CAMERA 1, CAMERA 2; (2852) DATA 1, DATA 5; (2853) DATA 2, DATA 2; (2854) DATA 3, DATA 3; (2855) DATA 4, DATA 4.

2851	TIME INSTANT a	TIME INSTANT b
2852	CAMERA 1	CAMERA 2
2853	DATA 1	DATA 5
2854	DATA 2	DATA 2
2855	DATA 3	DATA 3
2856	DATA 4	DATA 4

FIG. 36G

Diagram illustrating a table of parameters. The table has one column. The rows are labeled 2860 through 2866. The parameters are: x (2861), y (2862), w (2863), and h (2864).

2860	x
2861	y
2862	w
2863	h
2864	
2865	
2866	

FIG. 37




FIG. 38





FIG. 39



1038158338 1038158338

FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53





FIG. 54



1011050-82051960

FIG. 55




FIG. 56




FIG. 57




FIG. 58





FIG. 59



401050-8889860

FIG. 60

